Contents

Preface xiii
H. Selig and D. Davidov (Jerusalem, Israel)

Overview Comments xv
M. S. Dresselhaus (Cambridge, MA, U.S.A.)

Section I: Kinetics, Dynamics, and Diffusion

The kinetics of staging and stage disorder. 1
G. Kirczenow (Burnaby, BC, Canada)

Kinetic processes of stage transitions and critical behaviors of intercalant melting 7
H. Suematsu, K. Suda and N. Metoki (Tsukuba, Japan)

Kinetic study of electrochemical intercalation of potassium solvated by tetrahydrofuran into graphite. 13
B. Marcus. Ph. Touzain (Saint-Martin-d'Hères, France) and J. L. Soubeyroux (Grenoble, France)

Kinetic aspects of electrochemical intercalation into pyrographite 19
A. Métrot and M. Tihli (Reims, France)

Reflections on matter transfer in graphite intercalation chemistry. 27
A. Hérold (Vandoeuvre-lès-Nancy, France)

Dynamics of molecules in graphite 37
H. Zabel (Urbana, IL, U.S.A.)

Kinetics of ordering in graphite $SbCl_5$ and $AlCl_3$ studied by ESR 43
S. Rolla, L. C. Walmsley and C. Rettori (São Paulo, Brazil)

Critical behavior of the diffusion constant in the melting of the layer of nitric acid intercalated in graphite. 49
F. Batallan, I. Rosenman, Ch. Simon (Paris, France) and A. Magerl (Grenoble, France)

Mobility of tetrahydrofuran in $Cs(THF)_xC_{24}$ and $Li(THF)_{1.4}C_6$: a neutron and NMR study 55
M. Goldmann, A. J. Dianoux (Grenoble, France), B. Gonzalez, F. Béguin, H. Estrade-Szwarckopf and J. Conard (Orléans, France)

Dynamics of stage boundaries in alkali-metal GICs observed by color photography 62
K. Okabe and S.-I. Tanuma (Gunma, Japan)

Section II: Structure and Phase Transitions

A fractal energy surface and successive lock-in transitions of an intercalant monolayer system in alkali metal graphite intercalation compounds 69
H. Mitani (Tokyo, Japan) and K. Niizeki (Sendai, Japan)

Order–disorder transition and 3D–2D crossover in stage one $GaCl_3$ intercalated graphite: X-ray study 75
N. Nadi, M. Lelaurain, A. Hérold (Vandoeuvre-lès-Nancy, France) and F. Rousseaux (Orléans, France)

Some general aspects of the hk0 diffraction patterns of graphite intercalation compounds 81
P. Behrens and W. Metz (Hamburg, F.R.G.)

X-ray study of the in-plane orderings in new graphite–alkali metal–bismuth ternaries 89
A. Bendriss-Rerhrhaye, P. Lagrange (Vandoeuvre-lès-Nancy, France) and F. Rousseaux (Orléans, France)

Structural investigations of the graphite intercalation compounds of the dichlorides of the II_B-elements (Zn, Cd Hg) 95
P. Behrens, H. Beuthien, H.-P. Eickhoff, W. Metz (Hamburg, F.R.G.) and W. Niemann (Lyngby, Denmark)

Structure and phonons in stage-2 AsF_5–graphite: comparison of high-T liquid and low-T incommensurate solid phases. 101
D. Vaknin and J. E. Fischer (Philadelphia, PA, U.S.A.)

Composition modulation of binary alkali-alloys in graphite 107
P. C. Chow and H. Zabel (Urbana, IL, U.S.A.)

Incommensurate structures of OsF_6 and MoF_6 graphite intercalates studied by neutron scattering 113
J. K. Kjems (Roskilde, Denmark), D. Vaknin, D. Davidov, H. Selig (Jerusalem, Israel) and Y. Yeshurun (Ramat-Gan, Israel)

Neutron scattering studies of dilute stage-1 Li–graphite intercalation compounds: elastic interactions, phase transitions and the phase diagram 121
J. E. Fischer and H. J. Kim (Philadelphia, PA, U.S.A.)

De-intercalation and second intercalation of potassium into a highly oriented pyrolytic graphite 127
Ph. Touzain and A. Hamwi (Saint-Martin-d'Hères, France)

Intercalation and partial deintercalation of tetrahydrofuran in CsC_{24}: a neutron powder diffraction study 133
M. Goldmann, J. Pannetier (Grenoble France), F. Béguin and B. Gonzalez (Orléans, France)

X-ray absorption spectroscopy of ICl-intercalated graphite 139
G. Wortmann, W. Krone, G. Kaindl and R. Schlögl (Berlin, F.R.G.)

Neutron diffraction on bromine intercalated in graphite 147
Ch. Simon, I. Rosenman, F. Batallan (Paris, France), G. Pepy (Gif-sur-Yvette, France) and H. Lauter (Grenoble, France)

Melting of the intercalated layers in $Cs_x(THF)_yC_{24}$ 155
F. Béguin, C. Laroche, B. Gonzalez (Orléans France), M. Goldmann (Grenoble, France) and M. F. Quinton (Paris, France)

Section III: Electronic Structure

Angle resolved photoemission study of first and second stages alkali metal graphite intercalation compounds. 165
D. Marchand, C. Frétigny, N. Lecomte, M. Lagües (Paris, France) and J. E. Fischer (Philadelphia, PA, U.S.A.)

Interlayer bands in first stage alkali–GICs C_8M 171
H. Kamimura (Tokyo, Japan)

Lithium intercalated graphite: experimental and theoretical investigations of electronic density *versus* stage, by Compton scattering 175
S. Rabii (Philadelphia, PA, U.S.A.), G. Loupias, J. Chomilier (Paris, France) and D. Guérard (Vandoeuvre-lès-Nancy, France)

Investigations of anisotropy of the electronic density in KC_8 by synchrotron X-ray Compton scattering 179
G. Loupias, J. Chomilier, J. Tarbes (Paris, France) and D. Guérard (Vandoeuvre-lès-Nancy, France)

Electronic structure of potassium and metal halide GICs studied by angle-resolved X-ray emission spectroscopy 183
R. Eisberg and G. Wiech (Munich, F.R.G.)

UPS and XPS studies of alkali–graphite intercalation compounds 191
H. Estrade-Szwarckopf and B. Rousseau (Orléans, France)

De Haas–van Alphen effect in $SbCl_5$–graphite intercalation compound 199
Y. Yosida (Toyama, Japan) and S. Tanuma (Gunma, Japan)

Stage dependence of electronic states in potassium GIC by X-ray absorption near edge polarization-dependent structure (XANEPS) measurements 205
G. Loupias, J. Chomilier, J. Tarbes (Paris, France), S. Rabii, R. Tatar (Philadelphia, PA, U.S.A.) and D. Guérard (Vandoeuvre-lès-Nancy, France)

Direct evidence for occupied Cs 6s states in CsC_8. 211
C. F. Hague, J.-M. Mariot (Paris France), V. Geiser, P. Oelhafen and H.-J. Güntherodt (Basel, Switzerland)

Positron annihilation in graphite and graphite intercalation compounds. 217
R. Saito, N. Shima and H. Kamimura (Tokyo, Japan)

Two dimensional metal–insulator transitions in alkali–ammonia ternary graphite intercalation compounds. 223
S. A. Solin and Y. Y. Huang (East Lansing, MI, U.S.A.)

Section IV: Magnetism, Magnetic Resonance, and Defects

High field magnetization of $CoCl_2$–GICs 231
J. T. Nicholls, Y. Shapira, E. J. McNiff, Jr. and G. Dresselhaus (Cambridge, MA, U.S.A.)

Magnetic ordering in a quasi-two-dimensional planar ferromagnet 237
D. G. Wiesler, H. Zabel (Urbana, IL, U.S.A.) and M. Suzuki (Binghamton, NY, U.S.A.)

Enhancement of ferromagnetism in a new reduced cobalt–GIC 243
G. Chouteau and R. Yazami (Grenoble, France)

High field memory effect in $CoCl_2$–GIC: a neutron investigation 249
G. Chouteau, J. Schweizer, F. Tasset and R. Yazami (Grenoble, France)

Application of beta-NMR to the study of graphite intercalation compounds. 257
P. Heitjans (Marburg, F.R.G.)

Theory of nuclear magnetic resonance in graphite and graphite intercalation compounds 265
R. Saito, K. Kobayashi, M. Tsukada and H. Kamimura (Tokyo, Japan)

^{13}C NMR study of ternary intercalated compounds: heavy alkali–tetrahydrofuran–graphite. 271
M. F. Quinton, A. P. Legrand, L. Facchini (Paris, France) and F. Béguin (Orléans, France)

^{13}C NMR study of the relation between bonding and commensurability in NO_3H and $SbCl_5$ GIC 277
J. Conard (Orléans, France), H. Fuzellier and R. Vangélisti (Vandoeuvre-lès-Nancy, France)

Defects in potassium GIC studied by positron annihilation; preparation dependence 285
J. Tarbes, G. Loupias (Paris, France), D. Guérard and B. George (Vandoeuvre-lès-Nancy, France)

Pulsed ESR studies of graphite intercalation compounds 291
D. Davidov (Jerusalem, Israel), A. Grupp, H. Kass and P. Hoffer (Stuttgart, F.R.G.)

Potential energy of $KC_{24}(NH_3)_4$ on an ionic model: order parameter of the ammonia molecule 297
H. A. Resing, R. M. Fronko, T. Tsang (Washington, DC, U.S.A.) and S. A. Solin (East Lansing, MI, U.S.A.)

Spin resonance lineshape and *c*-axis resistivity in $SbCl_5$–GICs. 305
L. Walmsley, S. Rolla and C. Rettori (São Paulo, Brazil)

"s or non s" in alkali metal graphitides? 311
P. Lauginie (Orléans, France)

Section V: Optical Measurements, Phonons, Transport, and Superconductivity

Modified Raman and infrared methods for the study of intercalant vibrations. 321
Y. Yacoby and I. Ohana (Jerusalem, Israel)

Phonon frequencies and C—C bond distances in graphite and graphite intercalation compounds 327
C. T. Chan, W. A. Kamitakahara and K. M. Ho (Ames, IA, U.S.A.)

New method to determine the dielectric constants of acceptor type GIC 333
F. Jost, S. Roth (Stuttgart, F.R.G.) and Y. Yacoby (Jerusalem, Israel)

Vibrational spectrum of α-HNO_3 intercalated graphite by neutron inelastic spectroscopy 339
I. Rosenman, Ch. Simon, F. Batallan (Paris France), H. Fuzellier (Vandoeuvre-lès-Nancy, France) and H. J. Lauter (Grenoble, France)

c-Axis resistance of stage 2 $SbCl_5$ intercalated graphite under pressure. 345
B. Sundqvist (Umeå, Sweden)

Resistivity studies and phase transitions in HOPG/IrF_6 351
I. Bleish, D. Vaknin, D. Davidov, H. Selig (Jerusalem, Israel) and J. Kjems (Roskilde, Denmark)

c-Axis conduction in graphite intercalation compounds 359
K. Sugihara (Cambridge, MA, U.S.A.)

Phase changes and conductivity anisotropy of AsF_5 intercalated graphite. 365
M. Lelaurain, J. F. Marêché, G. Furdin, E. McRae and A. Hérold (Vandoeuvre-lès-Nancy, France)

Investigations of superconductivity on stage 1 to stage 3 CsBi–graphite 371
I. Stang, K. Lüders (Berlin, F.R.G.), V. Geiser and H.-J. Güntherodt (Basel, Switzerland)

Graphite compounds with BF_3/F_2: conductivity and its relation to charge transfer 377
D. Brusilovsky, H. Selig, D. Vaknin, I. Ohana and D. Davidov (Jerusalem, Israel)

Section VI: Novel Intercalation and Ternary Compounds

New data concerning the graphite sulfur trioxide system. 387
G. Furdin, M. Klatt, M. Lelaurain and A. Hérold (Vandoeuvre-lès-Nancy, France)

Graphite salts with perfluoroalkanesulfonic acids and alkanesulfonic acids 395
H. P. Boehm, W. Helle and B. Ruisinger (Munich, F.R.G.)

Ion implantation in graphite as a precursor for intercalation 401
M. S. Dresselhaus and A. Lusnikov (Cambridge, MA, U.S.A.)

Photochemical intercalation in graphite 407
R. Schlögl and H. P. Boehm (Munich, F.R.G.)

Electrochemical preparation and characterization of novel graphite bi-intercalation compounds 415
P. Scharff, E. Stumpp and C. Ehrhardt (Clausthal-Zellerfeld, F.R.G.)

Development of ternary graphite–electron donors compounds during the past ten years (synthesis and structure) 421
D. Guérard, P. Lagrange, A. Hérold (Vandoeuvre-lès-Nancy, France) and F. Rousseaux (Orléans, France)

Enthalpy of intercalation of KC_{24} with tetrahydrofuran or benzene and thermal analysis of $K(THF)_{2.5}C_{24}$ and $K(Bz)_{2.5}C_{24}$ 427
F. Béguin (Orléans, France) and P. Vast (Lille, France)

Graphite intercalation compounds with transition metal fluorides. 435
S. Flandrois, B. Hun, J. Grannec, A. Tressaud and C. Hauw (Talence, France)

Thermogravimetric study of gold(III) bromide graphite 441
E. Stumpp, H.-J. Hummel and C. Ehrhardt (Clausthal-Zellerfeld, F.R.G.)

Section VII: Applications and Fibers

Stabilities of metal-halide intercalated graphite 449
T. Sugiura, T. Iijima, M. Sato and K. Fujimoto (Kawasaki, Japan)

Stability of graphite fibers intercalated with metal chlorides 455
A. Ansart (Clamart, France), C. Meschi and S. Flandrois (Talence, France)

Fluorine–graphite HOPG intercalation compounds 461
H. Touhara, Y. Goto, N. Watanabe, Y. Mizutani (Kyoto, Japan), K. Imaeda, T. Enoki and H. Inokuchi (Okazaki, Japan)

The graphite intercalation compounds: their uses in industry and chemistry 467
R. Setton (Orléans, France)

Structure of HNO_3-intercalated graphite fiber prepared from cyanoacetylene 475
S. Fukuda, A. Takahashi and J. Tsukamoto (Tokyo, Japan)

Electronic and structural studies of carbon/carbon composites. 481
G. L. Doll, R. M. Sakya, J. T. Nicholls, J. S. Speck, M. S. Dresselhaus (Cambridge, MA, U.S.A.) and G. B. Engle (Poway, CA, U.S.A.)

Graphite–potassium intercalate — C_8K — an efficient agent for ring closure reactions 487
M. Rabinovitz and D. Tamarkin (Jerusalem, Israel)

Finely divided supported metals Ni, Co and Fe prepared through graphite intercalation compounds: study by XPS. 493
R. Erre, A. Messaoudi and F. Béguin (Orléans, France)

The use of graphite electrodes in potentiometric titrations 503
W. S. Selig (Livermore, CA, U.S.A.)

Section VIII: Bibliographies

A list of patents featuring graphite intercalation compounds issued between 1977 and 1986 511
R. Setton (Orléans, France)

The use of graphite intercalation compounds in preparative chemistry (a bibliography, 1977 - 1985) 519
R. Setton (Orléans, France)

AUTHOR INDEX 525

SUBJECT INDEX 527